

CATALOGUE



INDUSTRIAL MACHINERY HERO

IMHERO is a professional team committed to providing one-stop service to the cap and hat factories, since 2010. We have a mature and complete supply chain for the cutting machines, sewing machines, ironing machines, embroidery machines etc. which are required for the production line of headwear factories. We also provide different kinds of customized molds and special tools for cap & hat production such as folder and presser feet. At the same time, we also supply all the accessories and material including all kinds of fabrics, visors, buckles etc at good prices. We are able to provide shipping and import customs clearance services to customers in most countries, so that goods can be safely and conveniently delivered to your warehouse. Up to now, we have served more than 230 cap and hat factories from different countries in the world. We are always ready to serve you and expect you will be the next partner of IMHERO.



TAIZHOU SUNSEW TRADING CO.,LTD

Address :No.21-2, Jiuzi Town, Zhang'an Street, Jiaojiang district, Taizhou City,
Zhejiang Province, China

WWW.IMHEROMC.COM



You Tube

CAP IRONING MACHINE



| | |
|-----------------------|---|
| MODEL | H-101 |
| FEATURES | Cap Ironing, Make perfect shape |
| NUMBER OF HEAD | 1 Head |
| MOULD | Baseball SnapBack Mesh Caps (Included 1 Free Mould) |
| ADJUSTABLE | Air Temperature Ironing Time Steam |
| BOILER | Internal Boiler Without Boiler |
| POWER SUPPLY | 220v 50/60Hz 6000w |

MODEL H-102C

| | |
|-----------------------|---|
| FEATURES | Cap Ironing, Make perfect shape |
| NUMBER OF HEAD | 2 Heads |
| MOULD | Baseball SnapBack Mesh Caps (Included 2 Free Mould) |
| ADJUSTABLE | Air Temperature Ironing Time Steam |
| BOILER | Internal Boiler Without Boiler |
| POWER SUPPLY | 220v 50/60Hz 2000w - 7000w |



MODEL H-102D

| | |
|-----------------------|---|
| FEATURES | Cap Ironing, Make perfect shape |
| NUMBER OF HEAD | 2 Heads |
| MOULD | Baseball SnapBack Mesh Caps (Included 2 Free Mould) |
| ADJUSTABLE | Air Temperature Ironing Time Steam |
| BOILER | Internal Boiler Without Boiler |
| POWER SUPPLY | 220v 50/60Hz 2000w - 7000w |



MODEL H-102

| | |
|-----------------------|---|
| FEATURES | Cap Ironing, Make perfect shape |
| NUMBER OF HEAD | 2 Heads |
| MOULD | Baseball SnapBack Mesh Caps (Included 2 Free Mould) |
| ADJUSTABLE | Air Temperature Ironing Time Steam |
| BOILER | Internal Boiler Without Boiler |
| POWER SUPPLY | 220v 50/60Hz 2000w - 7000w |



Water time, Steam time and Ironing time can be adjusted. Insert boiler and Water feeding automatically, Design easy to work and advanced security system. Ironing mould can be customized according to your request. Easy to change and clean the mould. This machine is used for ironing the baseball & SnapBack caps into a perfect shape by steamer mould. Easy to install and removal, No need to connect the extra boiler.



CAP IRONING MOLDS

| | |
|-------------|---|
| TYPE | Baseball Caps SnapBack Caps Mesh Caps Beret Caps Military Caps |
| SIZE | 46 - 62 CM |

Also available make custom molds



| | |
|-----------------------|--|
| NAME | SPECIAL CAP IRONING MACHINE |
| MODEL | H-3EN1 |
| FEATURES | Cap , Front Panel & Visor Ironing |
| NUMBER OF HEAD | 3 Heads |
| MOULD | Baseball SnapBack Mesh Caps |
| ADJUSTABLE | Air Temperature Ironing Time Steam |
| BOILER | Internal Boiler Without Boiler |
| POWER SUPPLY | 220v 4000w |

Water time, Steam time & ironing time can be adjustable, Inside generator and water feeding automatically, Design easy to work and to change the mould. work with front panel ironing mould ,visor curving mould & cap crow mould. recommend for small factories

NAME CAP FRONT PANEL PRESSING MACHINE

MODEL H-1032


FEATURES Fixing the adhesive interlining with normal fabric

HEAD 2 Heads | 3 Heads | 4 Heads

ADJUSTABLE Air | Temperature | Ironing Time | Steam

BOILER Internal Boiler | Without Boiler

POWER SUPPLY 220v | 50/60Hz | 2000w



FRONT PANEL



VISOR CURVE



NAME CAP CURVED VISOR BLOCKING MACHINE

MODEL H-1042

FEATURES Ironing the plastic visor shape the curve

HEAD 2 Heads | 3 Heads | 4 Heads

ADJUSTABLE Air | Temperature | Ironing Time | Steam

BOILER Internal Boiler | Without Boiler

POWER SUPPLY 220v | 50/60Hz | 2000w

No need to connect the extra boiler. Water feeding automatically. Steam time, Blocking time adjustable. Mould customized according to your need. Easy to change and clean the mould. Fix the adhesive interlining with normal fabric and Iron the plastic visor to shape the curved visor.

NAME VISOR COOLING MACHINE

MODEL H-105

FEATURES Visor Cooling

HEAD 15 Heads

ADJUSTABLE Air

POWER SUPPLY 220v | 50/60Hz | 200w

This machine can cool the curved visor after ironing, Hence it can keep perfect curved shape and difficult to become deformed



VISOR COOLING



NAME COOLING COVEYOR

MODEL H-304


FEATURES Cool and dry the caps after ironing

METER 3 Meters | 4 Meters | 5 Meters


ADJUSTABLE Speed | Power

POWER SUPPLY 220v | 50/60Hz | 500w

HAT BLOCKING MACHINE



BERET



FEDORA



BUCKET



MODEL H-201 | H-202 | H-201FH | H-202FH | H-2025P

FEATURES Hat Blocking, Make perfect shape

NUMBER OF HEAD 1 Head | 2 Heads

MOULD Bucket | Fedora | Panama | Flat | Breton | Beret | Newsboy
(Included 1 or 2 Free Mould Depend on the model)

ADJUSTABLE Air | Temperature | Ironing Time | Steam

BOILER Internal Boiler | Without Boiler

POWER SUPPLY 220v | 50/60Hz | 7000w

Water time, Steam time and Ironing time can be adjusted. Insert generator and Water feeding automatically, Design easy to work and advanced security system. Ironing mould can be customized according to your request. This machine is used for Ironing the hat into a perfect shape by steamer mould. No need to connect the extra boiler.



CHOOSE YOUR FAVORITE COLOR

EMBROIDERY MACHINERY



MODEL HF-1201 | HF-1501

FEATURES Finished Garment,Cap, Flat embroidery and more applications

NUMBER OF HEAD 1 Head

NUMBER OF NEEDLE 12 , 15 Needles

EMBROIDERY AREA 500*330mm

MAX SPEED 1000 rpm

MAIN MOTOR Servo Motor

ROTARY HOOK Japanese Rotary Hook

POWER SUPPLY 110v, 220v

COMPUTER 285 Model DAHAO 7 Inch Touch Screen



MODEL HF-1202 | HF-1502

FEATURES Finished Garment,Cap, Flat embroidery and more applications

NUMBER OF HEAD 2 Heads

NUMBER OF NEEDLE 12 , 15 Needles

EMBROIDERY AREA 400*450mm

MAX SPEED 1000 rpm

MAIN MOTOR Servo Motor

ROTARY HOOK Japanese Rotary Hook

POWER SUPPLY 110v, 220v

COMPUTER 285 Model DAHAO 7 Inch Touch Screen



MODEL HF-1206 | HF-1506

FEATURES Finished Garment,Cap, Flat embroidery and more applications

NUMBER OF HEAD 6 Heads

NUMBER OF NEEDLE 12 , 15 Needles

EMBROIDERY AREA 400*450mm

MAX SPEED 950 rpm

MAIN MOTOR Servo Motor

ROTARY HOOK Japanese Rotary Hook

POWER SUPPLY 110v, 220v

COMPUTER A18 Model DAHAO 10 Inch Touch Screen



MODEL HF-1204 | HF-1504

FEATURES Finished Garment,Cap, Flat embroidery and more applications

NUMBER OF HEAD 4 Heads

NUMBER OF NEEDLE 12 , 15 Needles

EMBROIDERY AREA 400*450mm

MAX SPEED 950 rpm

MAIN MOTOR Servo Motor

ROTARY HOOK Japanese Rotary Hook

POWER SUPPLY 110v, 220v

COMPUTER A18 Model DAHAO 10 Inch Touch Screen



OPERATION LANGUAGE

Chinese | English | Spanish | French | Portuguese | Turkish | German | Dutch | Thai | Arabic | Romania | Italian | Vietnamese | Hebreo | Polish ETC


Suitable for caps, Tubular, T-Shirt and flat embroidery. 10 inch touch screen computer supporting 16 languages . 20,000,000 Stitches memories matched with 200 patterns. DST, DSB format are compatible. Automatic thread break detection. Automatic thread trimming,270c wide cap frame. USB port and network to transfer design available.Variou embroidery hoop sizes to meet customer demands With foot wheels on machine body, Easy to moving

AUTOMATIC SWEATBAND SEWING MACHINE


Model : H-SMP2



4 Needles



6 Needles



8 Needles


| Model | Specification | Band Width | Needle Gauge | Total Width |
|-----------|---------------|------------|----------------------------------|-------------|
| 4 Needles | 04-85 | 30,32 | 1/3" - 1/3" - 1/3" | 1 |
| 6 Needles | 12-64 | 30,32 | 1/2" - 1/2" - 3/4" - 1/2" - 1/2" | 2 3/4" |
| 8 Needles | 10-80 | 30,32 | 5/16"*3 - 15/16" - 5/16"*3 | 2 12/16" |
| | 23-032 | 30,32 | 3/8"*3 - 1/2" - 3/8"*3 | 2 3/4" |

Automatic bandage sewing machine, available with 4, 6 and 8 needles, Automatic system saves production time, Automatic shutdown device against thread breakage and fabric breakage, Automatic sweatband recoiling device.

AUTOMATIC CAP VISOR SEWING MACHINE

Model : IM-838

Automatic machine to sew the caps visor, we can make from 2 to 16 lines, Maximum production up to 1250 pieces per 8 hours. 8 languages, DAHAO control system, MITSUBISHI brand head.



AUTOMATIC HAT BRIM SEWING MACHINE

Model : IM-848

This machine used for bucket hat brim stitches making, high speed., we can make from 2 to 16 lines. USB connection to transfer design. Automatic needle cutting.



AUTOMATIC CUTTING DOUBLE NEEDLE SEWING MACHINE

Model : IM-814N

Special edited machine for snapback and baseball hat factories, with automatic cutter, save material and time



SEWING MACHINE




H-810 | POST BED SEWING MACHINE



H-810P | COMPUTERISED POST BED SEWING MACHINE



H-814 | DOUBLE NEEDLE SEWING MACHINE



H-1508P | 4 NEEDLES SEWING MACHINE



H-812 | SINGLE NEEDLE SEWING MACHINE



H-1201M | EYELET SEWING MACHINE

BUTTON MACHINE



NAME SEMI- AUTOMATIC BUTTON ATTACHING MACHINE

MODEL IM-3680

FEATURES Button Attaching

MOULD Button Attaching (Include)

POWER SUPPLY 220V | 50/60Hz | 500w

All kind of button can be attached by this machine, Any size or shepe, Only need customized the press mould , Very convenient and practical. With infrared detection to prevent injury,adjust the dies with one button, check the distance of the mould automatically. Easy to operate, mould easy to disassemble and install, increase production effieency.

NAME SEMI- AUTOMATIC BUTTON COVER MACHINE


MODEL IM-686

FEATURES Button Cover

MOULD Button Cover (Include)

POWER SUPPLY 220V | 50/60Hz | 500w

With infrared detection to prevent injury, adjust the dies with one button, check distance of the mould automatically.Covered button suitable for cloth, Cap, Sofa, Furniture ETC. Suitable for mass production, Increased production efficiency.



NAME SEMI- AUTOMATIC BUTTON ATTACHING & COVER MACHINE

MODEL H-302

FEATURES Button Attaching & Cover


MOULD Button Cover | Button Attaching | Eyelet Hole | Buckle (No include)

POWER SUPPLY 220v | 50/60Hz | 400w



This machine adopt direct-drive servo motor. This motor only work when fixing button while other time it will be under standby situation. High safety. This machine has unique dual mechanical and computer program protection device.Computer direct-drive, with stable pressure and the biggest pressure can reach to 1100kg(750w). It can easily punch big size metal button in $\Phi 40\text{mm}$!





H-302CA

*AUTOMATIC BUTTON
COVER MACHINE*



H-302AF

*AUTOMATIC BUTTON
ATTACHING MACHINE*



H-302AFB

*AUTOMATIC BUTTON
ATTACHING MACHINE*

H-302CA

Automatic button feeding, Only needs to place the fabric.

The capacity is from 40,000 ~ 50,000 pieces in 8 hours.

The speed is adjustable.

Special for cap button, Sofa button and T-shirts button etc.

Suitable for big production, higher production efficiency.

H-302AF

Automatic button feeding, Easy to work. Special for Cap button, Sofa button and T-shirts buttons ETC.

The capacity is from 30,000 to 40,000 sets button in 8 hours.

Suitable for big production, higher production efficiency.

Advanced Security System.

With the quantity counter.

H-302AFB


Automatic button feeding, Easy to work. Special for Cap button, Sofa button and T-shirts buttons etc.

The capacity is from 20,000 to 30,000 sets button in 8 hours.

Suitable for big production, higher production efficiency.

Advanced Security System.

With the quantity counter.



+




+



=



ROLLING SEWING AND CUTTING MACHINE




| | |
|--------------------------|-----------------------|
| NAME | FABRIC SEWING MACHINE |
| MODEL | H-601S |
| FEATURES | 45c Fabric sewing |
| WORKING WIDTH | 1600mm |
| DIAMETER OF SHART | 36,7mm |
| FOLDING WIDTH | 350-900mm |
| FOLDING SPEED | 600-800m/h |
| POWER SUPPLY | 380v 60Hz 1700w |




This machine is an auxiliary equipment for processing 45c twill weave accessories into cylinder fabric, it is suitable for machine for processing factory, Cap making, Garment, Tent processing and cutting twill accessories



| | |
|-----------------------------|----------------------------------|
| NAME | FABRIC WINDING ROLLING MACHINE |
| MODEL | H-6014N |
| FEATURES | Fabric rolling |
| WORKING WIDTH | 1700mm |
| SPEED | 0-1200rpm |
| FABRIC ROLL DIAMETER | 300mm. I. 400mm |
| POWER SUPPLY | 220v,380v 3000w |




Suitable for rolling of various width straight line/45 degree diagonal strips of fabrics, Non-woven Fabric, Interlining, Waistband, Foam, Tape, Conductive cloth ETC. Electric folding & aligning, Stepless speed variation of cloth rolling, Cloth tension and flatness controllable according to the types of cloths, Easy to operate



| | |
|--------------------------------|--|
| NAME | AUTOMATIC CUTTING MACHINE OF FABRICS IN ROLL |
| MODEL | H-601 |
| FEATURES | Fabric cutting |
| WORKING WIDTH | 1600mm |
| MIN CUTTING STRIP WIDTH | 2mm |
| MAX CUTTING STRIP WIDTH | 37mm |
| POWER SUPPLY | 380v 50Hz 2500w |



Suitable for all kinds of width cutting of fabric, Non-woven cloth, Lining, Interlinings, Foam, Leather, Reflective materials, Paper, Plastic ETC. widely used in garment, Shoes, Hats, Bags, Clothing accessories factory, Swimwear factory, Tent factory, Umbrella factory, Reflective materials factory, Home textile products and others industries



| | |
|----------------------|----------------------------------|
| NAME | AUTOMATIC FABRIC CUTTING MACHINE |
| MODEL | H-991 |
| FEATURES | Fabric cutting |
| SPEED | 30-460rpm |
| CLOTH CIR..CE | 60-200cm |
| STRIP WIDTH | 5-90mm |
| POWER SUPPLY | 110v/220v |

This machine can be suitable for many kinds of cloth, Lycra, Knitwear, Weave, Danim, Shirts & Leather, Widely applying for clothing, Shoe and hat productions



| | |
|--------------------------|--------------------------------------|
| NAME | COLD & HOT AUTOMATIC CUTTING MACHINE |
| MODEL | HCT1 |
| FEATURES | Fixed length cutting |
| CUTTING LENGTH | 1-99999mm |
| CUTTING THICKNESS | 0,2-3mm |
| CUTTING SPEED | 110 pcs/m |
| CUTTING WIDTH | Width 3-95mm |
| POWER SUPPLY | 110v/220v 480w |

This machine is suitable for PP belt, Zipper, Nylon belt, Braided belt, Magic Stich, Seat belt, Shoulder Belt, Ribbon, Tape, Wire Casing ETC. For fixed length goods. Electronic and other manufacturing processing.

NAME HYDRAULIC PRESS CUTTING MACHINE

MODEL H300 | H400 | H500 | H800 | H1000 | H1500

FEATURES Materials Cutting

STROKE 50-150mm | 55-180mm

CUTTING SPEED 0,2m/s | 0,09m/s

WORKING TABLE 1620*600mm | 1620*700mm | 1620*960mm (Can be Customised)

POWER SUPPLY 2200w -7500w



This machine Includes 2 sets of cutting molds,
One set of Snapback caps and the other set of
baseball cap. (Each set has 7 pieces).
Also available to make custom cut molds

According to the materials we have available from 25 ton to 200 Ton , Cut material by Dies/Moulds. Easy to operated, Material precision 0.01mm, No burned. The machine with two cylinders, Four Column, Plane cutting press machine, Die cutting leather, foam, EVA, sponge, plastic sheet ect. Can make big cutting area: 2.3*1.3m or as required. Mainly used for die cutting leather and leather products, Plastic, Rubber, Sponge, Foam, EVA, PVC, Cardboard, Paper products, Fabric, Home textiles, Packaging materials, Non woven, Carpet, Car cushion, Felt, Synthetic materials and other materials in various industries. Extremely suitable for cutting multiple layers of material at one time.



NAME HYDRAULIC PRESS CUTTING MACHINE

MODEL H-200


FEATURES Materials Cutting

STROKE 90mm

WORKING TABLE 370*430mm

POWER SUPPLY 750w

This machine has a capacity of 20 tons,
Recommended for a small factory, Very
easy to use.



NAME FABRIC FUSING MACHINE

MODEL H-500M | H-600M | H-900M

FEATURES Fabric fixing

BELT WIDTH 500mm | 600mm | 900mm


SPEED 0-9m/m

TEMPERATURE 0-200c

POWER SUPPLY 200v/380v | 5400w/6000w/7000w

This machine is special for fixing fabrics with other materials or for folding fabrics, The temperature and speed is adjustable, Very easy to use. Available to make custom special size.

FULLY AUTOMATIC SILK SCREEN PRINTING MACHINE



MODEL H-ES1 | H-ES2

FEATURES This machine can print all kinds of roll materials

COLOR 1 Color | 2 Colors

PRINTING IN Satin | Ribbon | Cotton | Tape | Webbing Sling | More

PRINTING SPEED 5m/min/tape

PRINTING AREA 350*180mm (L*W)

POWER SUPPLY 220V,380v | 4000w

The machine can print all kinds of roll materials, Such as label, Satin ribbon, Cotton tape, Elastic tape, Webbing sling and any other roll materials. The machine adopts stainless steel conveyor belt. With CNC servo feeder, It can print the materials of unlimited size. The servo controller for doctor blade, Set the length with digit. The printing speed: 5m/min/tape. It is suitable for all kinds of band soft materials and roll packing materials. Print bottom color or thin characters in large area, clear net spot without color fading. Integral forming, permanent precision and durability of elements. Precisely print multi-colors design, and multi-lines feeding. One operator need only. A workspace with 3M²-4M², You can move easily.

H-ES2

Available in 2 colors



SPECIAL TOOLS



MODEL : H-1
VISOR EDGE
COVERING FOLDE



MODEL : H-2
DOUBLE NEEDLE
FOLDER (BASIC)



MODEL : H-3
COVERED
BACKSIDE HOLE
EDGE FOLDER



MODEL : H-4
SANDWICH
FOLDER (VISOR)




MODEL : H-5
SANDWICH
FOLDER (VISOR)



MODEL : H-6
FABRIC FOLDER



MODEL : H-7
SWEATBAND
FOLDER DOUBLE



MODEL : H-8
SWEATBAND
FOLDER SINGLE




MODEL : H-10
SWEATBAND
SUPPORT FOLDER



MODEL : H-11
NEEDLE PLATE
AND TEETH



MODEL : H-13
SEWING FOOT



MODEL : H-15
SEWING FOOT



MODEL : H-16
EYELET HOLE




MODEL : H-17
BUTTON COVER



MODEL : H-18
BUTTON FIXING




MODEL : H-20
CLASP BUCKLE



MODEL : H-21
CAP VISOR GUIDE




MODEL : H-211
CAP VISOR GUIDE



MODEL : H-22
SWEATBAND
GUIDE




MODEL : H-23
SWEATBAND
CUTTING DEVICE



MODEL : H-25
DOUBLE NEEDLE
FOLDE



MODEL : H-26
CAP RULER



MODEL : H-27
CAP PANELS AND
CUTTING MOULD



MODEL : H-CM
IRONING MACHINE
MOULD




MODEL : H-FM
FRONT PANEL
MOULD

PLASTIC MATERIALS



PLASTIC BUCKLE

Material: 100% PE/PP
Colour: Customized
Specification: 5-hole | 7-hole
One line | Double line
MOQ : 4,000 Pieces




PLASTIC VISOR

Material: 100% new material, 50% new material
Size , Color and Thickness : as your request
MOQ : 5,000 PCS





CAP PROTECTOR HELMET

Designed for summer working protection, light-weight and comforatble, Meeting the international quality CE:EN801-2012, Baseball style, fashionable and practical, Built-in ABS protective shell, acts as shock absorber



| NAME | SIZE | COLOR | | | |
|------------------|-------|---------------|---------------|--------------|--------------|
| | | Antique Brass | Silver Nickel | White Nickel | Black Nickel |
| 5# Iron buckle | 16 mm | | | | |
| 5# Steel buckle | 16 mm | | | | |
| 5# Copper buckle | 16 mm | | | | |
| 6# Iron buckle | 20 mm | | | | |
| 6# Steel buckle | 20 mm | | | | |
| 6# Copper buckle | 20 mm | | | | |
| 日 Buckle | 20 mm | | | | |
| Bar adjuster | 20 mm | | | | |



| | |
|--------------------|----------------------------------|
| 22# Plastic Button | 13 mm |
| 22# Plastic Button | 13 mm (Environmental Protection) |
| 22# Metal Button | 13 mm |
| 24# Plastic Button | 15 mm |
| 24# Plastic Button | 15 mm (Environmental Protection) |
| 24# Metal Button | 15 mm |
| 24# Metal Button | 15 mm (High Quality) |



TAIZHOU SUNSEW TRADING CO.,LTD

Address :No.21-2, Jiuzi Town, Zhang'an Street, Jiaojiang district,
Taizhou City, Zhejiang Province, China

info@imheromc.com